

STICK 2 ALL PURPOSE SUPERGLUE

Page: 1

Compilation date: 31/10/2014

Revision No: 4

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: STICK 2 ALL PURPOSE SUPERGLUE

Product code: S2SUP all sizes

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: PC1: Adhesives, sealants.

1.3. Details of the supplier of the safety data sheet

Company name:	EVERBUILD BUILDING PRODUCTS LTD
	SITE 41, KNOWSTHORPE WAY
	CROSS GREEN INDUSTRIAL ESTATE
	LEEDS
	WEST YORKSHIRE
	LS9OSW
	ENGLAND
Tel:	0044 113 240 3456
Fax:	0044 113 240 0024
Email:	sds@everbuild.co.uk

1.4. Emergency telephone number

Emergency tel: 0044 113 240 3456 (office hours only)

Section 2: Hazards identification

2.1. Classification of the subst	ance or mixture
Classification under CLP:	Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H335; -: EUH208; -: EUH202
Classification under CHIP: Xi: R36/37/38	
Most important adverse effects:	Contains hydroquinone. May produce an allergic reaction. Causes skin irritation.
	Causes serious eye irritation. May cause respiratory irritation. Cyanoacrylate. Danger.
	Bonds skin and eyes in seconds. Keep out of the reach of children.

2.2. Label elements

Label elements under CLP:

Hazard statements: EUH208: Contains hydroquinone. May produce an allergic reaction.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the

reach of children.

STICK 2 ALL PURPOSE SUPERGLUE

Signal words:WarningHazard pictograms:GHS07: Exclamation mark



.....

Precautionary statem	ents: P261: Avoid breathing vapours.
	P501: Dispose of contents to hazardous waste.
	P271: Use only outdoors or in a well-ventilated area.
	P280: Wear protective gloves/protective clothing/eye protection/face protection.
	P403+233: Store in a well-ventilated place. Keep container tightly closed.
	P362: Take off contaminated clothing and wash before reuse.
	P337+313: If eye irritation persists: Get medical advice/attention.
	P405: Store locked up.
	P332+313: If skin irritation occurs: Get medical advice/attention.
	P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position
	comfortable for breathing.
	P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove
	contact lenses, if present and easy to do. Continue rinsing.
	P264: Wash contaminated skin thoroughly after handling.
	P312: Call a POISON CENTER or doctor if you feel unwell.
	P302+352: IF ON SKIN: Wash with plenty of soap and water.
2.3. Other hazards	
Other haz	ards: Cyanoacrylate adhesives are instant bonding, almost single component adheisves that

bond almost all close fitting smooth surfaces in seconds

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

EINECS	CAS	CHIP Classification	CLP Classification	Percent
230-391-5	7085-85-0	-	Eye Irrit. 2: H319; STOT SE 3: H335;	>90%
			Skin Irrit. 2: H315	

Page: 2

STICK 2 ALL PURPOSE SUPERGLUE

Page: 3

HYDROQUINON	1			
204-617-8	123-31-9	- Carc. 2: H351; Muta. 2: H341; Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Sens. 1: H317; Aquatic Acute 1: H400	<1%	
ction 4: First aid	d measures			
4.1. Description o	of first aid me	asures		
-				
	SKIN CONTACT:	Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.		
Eye contact: Bathe the eye with running water for 15 minutes. Consult a doctor.				
		Wash out mouth with water. Consult a doctor.		
	-	Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a		
	innalation.	doctor.		
4.2 Moot importo	ntovmotomo	and effects, both acute and delayed		
4.2. Wost Importa	int symptoms			
\$	Skin contact:	There may be irritation and redness at the site of contact.		
	Eye contact:	There may be irritation and redness. The eyes may water profusely.		
Ingestion: There may be soreness and redness of the mouth and throat.				
Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may				
		cause coughing or wheezing.		
4.3. Indication of	any immediat	e medical attention and special treatment needed		
ction 5: Fire-figl	nting measu	res		
5.1. Extinguishing	g media			
Extinguis	shing media:	Suitable extinguishing media for the surrounding fire should be used. Use water spray		
		to cool containers.		
	rdo origina fra	om the substance or mixture		
5.2. Special hazar	us ansing inc			
		In combustion emits toxic fumes.		
	sure hazards:			
Expos	sure hazards: e-fighters	In combustion emits toxic fumes.		
Expos	sure hazards: e-fighters	In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact		
Expos	sure hazards: re-fighters fire-fighters:	In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.		
Expos 5.3. Advice for fire Advice for ection 6: Accider	sure hazards: e-fighters fire-fighters: ntal release r	In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. measures		
Expos 5.3. Advice for fire Advice for ection 6: Accider	sure hazards: e-fighters fire-fighters: ntal release r	In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.		
Expos 5.3. Advice for fire Advice for ection 6: Accider 6.1. Personal pred	sure hazards: e-fighters fire-fighters: ntal release r cautions, prot	In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. measures		
Expos 5.3. Advice for fire Advice for ection 6: Accider 6.1. Personal pred	sure hazards: e-fighters fire-fighters: ntal release r cautions, prot	In combustion emits toxic fumes. Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes. measures tective equipment and emergency procedures		

leaking containers leak-side up to prevent the escape of liquid.

STICK 2 ALL PURPOSE SUPERGLUE

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Wash the spillage site with large amounts of water. Absorb into dry earth or sand.

6.4. Reference to other sections

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Do not handle in a confined space. Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in cool, well ventilated area. Keep container tightly closed. Store in original containers between +5 and +25°C. Storage outside these paramaters will dramatically reduce shelf life and invalidates all product warrenties.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	-	1.5 mg/m3	-	-

Respirable dust

HYDROQUINONE

UK	0.5 mg/m3	-	-	-
----	-----------	---	---	---

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Gas/vapour filter, type A: organic vapours (EN141). must be worn if vapour concentration
	is above OES or if ventilation is poor Self-contained breathing apparatus must be
	available in case of emergency.
Hand protection:	Protective gloves.
Eye protection:	Safety glasses. Ensure eye bath is to hand.

STICK 2 ALL PURPOSE SUPERGLUE

Page: 5

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physic	cal and chemical properties	
State:	Liquid	
Colour:	Colourless	
Odour:	Characteristic odour	
Evaporation rate:	No data available.	
Oxidising:	No data available.	
Solubility in water:	Reacts with water.	
Also soluble in:	Acetone.	
Viscosity:	Viscous	
Kinematic viscosity:	40-80	
Viscosity test method:	Cone and Plate	
Boiling point/range°C:	>149 Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available. upper:	No data available.
Flash point°C:	80-93.4 Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	450 Vapour pressure:	<700 mbar
Relative density:	1.05 pH :	No data available.
VOC g/I:	<20	

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid: Heat. Direct sunlight. Moist air.

10.5. Incompatible materials

Materials to avoid: Water. Bases. Alcohols. Amines.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

STICK 2 ALL PURPOSE SUPERGLUE

11.1. Information on toxicological effects

Hazardous ingredients:

ETHYL-2-CYANOACRYLATE

ORL RAT	LD50	>5	ml/kg
---------	------	----	-------

HYDROQUINONE

ORL	MUS	LD50	150	mg/kg
ORL	RAT	LD50	720	mg/kg
SCU	RAT	LDLO	300	mg/kg

Relevant effects for mixture:

Effect	Route	Basis
Irritation	OPT INH DRM	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: No data available.

12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

Section 13: Disposal considerations

STICK 2 ALL PURPOSE SUPERGLUE

13.1. Waste treatment methods

Disposal operations: Dispose of according to local or national legislation

Waste code number: 08 04 09

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN3334

14.2. UN proper shipping name

Shipping name: AVIATION REGULATED LIQUID, N.O.S (ETHYL-2-CYANOACRYLATE)

14.3. Transport hazard class(es)

Transport class: 9

14.4. Packing group

Packing group: |||

14.5. Environmental hazards

Environmentally hazardous: No

Marine pollutant: No

14.6. Special precautions for user

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture

by the supplier.

Section 16: Other information

Other information

Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: EUH202: Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children. EUH208: Contains <name of sensitising substance>. May produce an allergic reaction. H302: Harmful if swallowed. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H318: Causes serious eye damage.

STICK 2 ALL PURPOSE SUPERGLUE

	H319: Causes serious eye irritation.
	H335: May cause respiratory irritation.
	H341: Suspected of causing genetic defects <state conclusively<="" exposure="" if="" is="" it="" of="" route="" th=""></state>
	proven that no other routes of exposure cause the hazard>.
	H351: Suspected of causing cancer <state conclusively="" exposure="" if="" is="" it="" of="" proven<="" route="" th=""></state>
	that no other routes of exposure cause the hazard>.
	H400: Very toxic to aquatic life.
	R36/37/38: Irritating to eyes, respiratory system and skin.
Legend to abbreviations:	PNEC = predicted no effect level
	DNEL = derived no effect level
	LD50 = median lethal dose
	LC50 = median lethal concentration
	EC50 = median effective concentration
	IC50 = median inhibitory concentration
	dw = dry weight
	bw = body weight
	cc = closed cup
	oc = open cup
	MUS = mouse
	GPG = guinea pig
	RBT = rabbit
	HAM = hamster
	HMN = human
	MAM = mammal
	PGN = pigeon
	IVN = intravenous
	SCU = subcutaneous
	SKN = skin
	DRM = dermal
	OCC = ocular/corneal
	PCP = phycico-chemical properties
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive
	and shall be used only as a guide. This company shall not be held liable for any
	damage resulting from handling or from contact with the above product.

Page: 8