



BS5750 : PART 2 : 1987
 QAS No. 2567 / 350
 ISO 9002 - 1987
 EN 29002 - 1987
 Cert. No. FM1090

GLOY PASTE

DATE OF ISSUE APRIL 1991

REVISED

REF.

1.0	<u>Product Uses:</u>	Adhesive for paper, card etc.	
2.0	<u>Chemical Composition:</u>	Water based starch	
3.0	<u>Physical Properties:</u>		
3.1	Form:	Liquid	
3.2	Colour:	White	
4.0	<u>Health Hazards:</u>		
4.1	Inhalation:	None	
4.2	Ingestion:	None	
4.3	Skin Contact:	None	
4.4	Eye Contact:	None	
5.0	<u>Emergency Action-First Aid:</u>		
5.1	Inhalation:	N/A	
5.2	Ingestion:	For large amounts, drink plenty of water	
5.3	Skin Contact:	Rinse with water	
5.4	Eye Contact:	Rinse immediately with water, seek medical attention	
6.0	<u>Emergency Action</u>		
6.1	Spillage:	Soak up with inert material eg. sand/sawdust, flush away residual traces with water.	
6.2	Fire:	N/A	
6.3	Flood:	N/A	
7.0	<u>Transport Precautions:</u>	N/A	
8.0	<u>Storage Precautions:</u>	Store in cool dry location between 5 °C - 30 °C	
9.0	<u>Regulations:</u>		
9.1	Hazard Symbols:	N/A	
9.2	Risk/Safety Phrases:	N/A	
10.0	<u>Physical Data:</u>		
10.1	Boiling Point:	100 °C	10.9 Solubility in Water: Miscible in all proportions
10.2	Freezing Point:	<0 °C	
10.3	Density:	1.06	10.10 Ignition Temperature: N/A
10.4	Vapour Pressure:	23 mbar	10.11 Explosion Limits: N/A
10.5	Viscosity:	40-60 Poise	10.12 Thermal Decomposition: -
10.6	pH Value:	6-7	10.13 Hazardous
10.7	Flash Point:		Decomposition Products: None
10.8	Odour:	None	10.14 Incompatible Substances: None known
			10.15 Hazardous Reactions: None

INFORMATION FOR DOCTORS

Henkel Home Improvement and Adhesive products are registered with the National Poisons Centre,
 New Cross Hospital. 24 Hours Emergency No. 071-635 9191

This information is given in good faith and is based on extensive experience and actual state of art.

It does not represent a guarantee for the properties of the product. For technical or practical advice on this or any other Unibond product, please contact our Technical Services Department on Winsford (0606) 593933