

K & M (Wholesale Suppliers) Limited Unit 24, Lion Park, Holbrook Industrial Estate New Street, Halfway, Sheffield, S20 3GH Tel: 01142474733 Fax: 01142475335 E-mail: order@km-wholesalesuppliers.co.uk

HEALTH & SAFETY DATA SHEETS FOR SOYER ENAMEL POWDERS

DESCRIPTION:

Black Opaque Enamel

(ENAMEL FOR USE ON COPPER, SILVER OR GOLD OR COLOURANT FOR GLASSWARE)

CHEMICAL COMPOSITION AND COMPONENTS OF PRODUCT:

Chemical composition:	Preparation - chemical glass chippings number CAS 65997 -18 - 4 obtained by melting the inorganic compounds at high temperatures			
Substances used in the production that may involve dangers:				
	Lead compound in Pb number CAS 7439-92-1	-25%		
	Manganese Dioxide in MnO2 number CAS 1313-13-9	-9%		
DESCRIPTION OF RISKS:				
Main Risks:	Lead and it's mineral compounds may cause poisoning on humans - known as lead poisoning and is also suspected of presenting a risk in pregnancy on the foetus. Manganese Dioxide causes nervous or respiratory disorders in humans			
Specific Risks:	R61: Risk of harmful effects on the child during pregna R62: Possible decrease in fertility R20/22: Dangers caused by inhalation or ingestion	ncy		

FIRST AID:

Take the affected person away from the place where they were exposed to the substance, make them breathe fresh air and ensure they are kept under medical supervision
Thoroughly clean the skin with soap and water
Immediately rinse the eyes thoroughly with water for at least 15 minutes and consult an eye specialist
Immediately consult a doctor (show him the relevant Health & Data Safety sheet) If need be, contact the nearest Anti poison centre

R33: Danger of cumulative effects

FIRE PROTECTION MEASURES:

Solid and inert product:	Non Flammable
Suitable means of extinguishment:	Water
Unsuitable means of extinguishment:	None
Specific dangers:	Escape of dangerous gas during the thermal decomposition
AVOID DISPOSAL OF THE WATER	USED IN EXTINGUSHMENT INTO THE ENVIRONMENT

MEASURES TO BE TAKEN IN THE CASE OF ACCIDENTAL SPILLAGE

Personal precautions:	Do not inhale the dust or powder
Precautions to protect the environment:	Do not spill the substance into the sewerage system or environment
Cleaning method:	In the event of a spill, sweep the substance away with dustpan and brush, being careful not to create excess dust, whilst wearing a dust mask. Rinse the contaminated area with water.

HANDLING AND STORAGE OF THE PRODUCT

Handling:	Do not eat and drink in places susceptible of presenting dangers due to lead The product may only be handled by persons who have received a technical training Ensure a good ventilation of the working place and air filtration in places where dust or vapour are emitted excessively.
Storage:	Store in an airtight container that is safe from humidity Keep away from food and drinks, including pet food Plastic is a suitable packaging material

EXPOSURE CONTROL / PERSONAL SAFETY

Technical Advice: Staff who have prolonged handling or usage of compounds of lead should have regular blood tests

Control parameters: Average limiting values for permissible exposure

K & M (Wholesale Suppliers) Limited Unit 24, Lion Park, Holbrook Industrial Es New Street, Halfway, Sheffield, S20 3GH Tel: 01142474733 Fax: 01142475335 Unit 24, Lion Park, Holbrook Industrial Estate Tel: 01142474733 Fax: 01142475335 E-mail: order@km-wholesalesuppliers.co.uk

0.15mg/m³

HEALTH & SAFETY DATA SHEETS FOR SOYER ENAMEL POWDERS

Lead (inorganic compounds, dust and vapour in Pb): Manganes Dioxide (in MnO2):

Form:

Colour:

Odour:

800 -840[°]C

not determined

not applicable

not applicable

not determined

Personal protection equipment:

1ma/m³ Respiratory protection: Dust Mask P3 Protection of hands: PVC or latex gloves Eye protection: Goggles Skin and body protection: Appropriate protective clothes Change all soiled clothes and shoes. Take care of personal hygiene wash all exposed parts of the body and rinse out the mouth before food is consumed.

Specific Hygiene Measures:

PHYSICAL & CHEMICAL PROPERTIES Physical state:

Appearance:

Melting Temperature: PH Value: Flash Point: Characteristics of explosion: Density: Solubility:

STABILITY AND REACTIVITY

Stability: Dangerous reactions:

Dangerous substances that are produced during decomposition: mineral product that resists high temperatures no dangerous reactions are known as long as the product is used in the normal way

solid powder

fine powder

odourless

black

hardly soluble in water, slightly soluble in acids

none to our knowledge if the product is used in the normal way

TOXILOGICAL INFORMATION

Lead and its compounds cause a disease known as lead poisoning and is listed as occupational illnesses number 1 Manganese Dioxide causes diseases that are listed as occupational illnesses number 39

Ways of penetration into the body:	respiratory tract:	very fine dust
	digestive tract:	coarse dust
Acute poisoning:	exceptional in the field of profession where it only occurs as a result of	
accidents or mis		,
Chronic poisoning:	•	n. The effects only appear after long exposure and
	can be revealed by labo	ratory examinations

Local Effects: the negative effects of lead manifest themselves by: disturbances of the blood (anaemia), renal problems (chronic renal insufficiency), digestive problems (abdominal pain, constipation, sometimes accompanied by hypertension) the negative effects of manganese manifest themselves by: nervous disorder (chronic manganism), respiratory disorder (manganese caused pneumonia) and by irritation of the mucous membranes (stomatitus, rhinitis)

ECOLOGICAL INFORMATION

Freedom of movement:	no data
Persistence / sewerage:	can be separated mechanically in a sewage plant
Biological accumulation:	the compounds of lead are biologically accumulated in the living organism
Ecological toxicity:	no experimental examinations. Neither spill the substance into the sewage system nor
	into the environment. The disposal must be effected in waste disposal sites that are
	specialised in dangerous products
Sewages:	a limit of 1mg of lead per litre of sewage should not be exceeded
-	a limit of 1mg of antimony per litre of sewage should not be exceeded
	the disposal of manganese into the sewage system and into the atmosphere must be
	limited



K & M (Wholesale Suppliers) Limited Unit 24, Lion Park, Holbrook Industrial Es New Street, Halfway, Sheffield, S20 3GH Tel: 01142474733 Fax: 01142475335 Unit 24, Lion Park, Holbrook Industrial Estate Tel: 01142474733 Fax: 01142475335 E-mail: order@km-wholesalesuppliers.co.uk

HEALTH & SAFETY DATA SHEETS FOR SOYER ENAMEL POWDERS

INDICATIONS FOR WASTE DISPOSAL

Waste disposal of residues:

the product is insoluble. Eliminate without causing dust If it can't be recycled, it has to be disposed in accordance to the local laws and instructions in force with your local authority Incinerate, never use the packaging for another product

Waste disposal of soiled packaging:

INFORMATION ON REGULATIONS

Regulations of the European Union:

information leaflet on security established in accordance with the directive 91/155/CEE of 5th March 1991 labelling in accordance with the directive 67/548/CEE and its adaptations protection of workers in accordance with the directives 82/605/CEE of 28th July 1982 and 92/85/CEE of 19th October 1992

SECURITY REGULATIONS

- S1/2: Keep out of the reach of children
- S53: Avoid prolonged exposure to the product. Read the safety data sheet before use
- S45: In the case of an accident or an occurring disease, consult a doctor immediately with a copy of this sheet
- S25 Avoid any contact with the eyes

Special regulation on the labelling of products that are made for the public using this enamel powder: CONTAINS LEAD. DO NOT USE THIS PRODUCT ON OBJECTS THAT Special Labelling: ARE SUSCEPTABLE TO BEING CHEWED OR SUCKED BY CHILDREN

This leaflet is no guarantee for the guality and specific characteristic of this product. It completes the directions of use but it does not replace them. The information it contains is based on the state of our knowledge when this document was created and they are given in good faith. We would also like to draw the users attention to the risks that are run if a product is used for another purpose than for the one it is created for.