

K & M (Wholesale Suppliers) Limited

Unit 24, Lion Park, Holbrook Industrial Estate New Street, Halfway, Sheffield, S20 3GH Tel: 01142474733 Fax: 01142475335 E-mail: order@km-wholesalesuppliers.co.uk

HEALTH & SAFETY DATA SHEETS FOR SOYER ENAMEL POWDERS

DESCRIPTION: 606 Rich Green Transparent Enamel

(ENAMEL FOR USE ON COPPER, SILVER OR GOLD OR COLOURANT FOR GLASSWARE)

CHEMICAL COMPOSITION AND COMPONENTS OF PRODUCT:

Chemical composition: Preparation - chemical glass chippings number CAS 65997 -18 - 4 obtained by melting

the inorganic compounds at high temperatures

Substances used in the production that may involve dangers:

Lead compound in Pb number CAS 1317-36-8 10-20% Copper oxide in number CAS 1317-38-0 1-5%

DESCRIPTION OF RISKS:

Main Risks: Lead and it's mineral compounds may cause poisoning on humans - known as

lead poisoning and is also suspected of presenting a risk in pregnancy on the foetus.

Specific Risks: R61: Risk of harmful effects on the child during pregnancy

R62: Possible decrease in fertility

R20/22: Dangers caused by inhalation or ingestion

R33: Danger of cumulative effects

FIRST AID:

Inhalation: Take the affected person away from the place where they were exposed to the substance.

make them breathe fresh air and ensure they are kept under medical supervision

Skin Contact: Thoroughly clean the skin with soap and water

Contact with eyes: Immediately rinse the eyes thoroughly with water for at least 15 minutes and consult an eye

specialist

Immediately consult a doctor (show him the relevant Health & Data Safety sheet) If need be,

contact the nearest Anti poison centre

FIRE PROTECTION MEASURES:

Solid and inert product: Non Flammable

Suitable means of extinguishment: Water Unsuitable means of extinguishment: None

Specific dangers: Escape of dangerous gas during the thermal decomposition

AVOID DISPOSAL OF THE WATER USED IN EXTINGUSHMENT INTO THE ENVIRONMENT

MEASURES TO BE TAKEN IN THE CASE OF ACCIDENTAL SPILLAGE

Personal precautions: Do not inhale the dust or powder

Precautions to protect the environment: Do not spill the substance into the sewerage system or environment

Cleaning method: In the event of a spill, sweep the substance away with dustpan and brush, being careful not to create excess dust, whilst wearing a dust

mask. Rinse the contaminated area with water.

HANDLING AND STORAGE OF THE PRODUCT

Handling: Do not eat and drink in places susceptible of presenting dangers due to lead

The product may only be handled by persons who have received a technical training

Ensure a good ventilation of the working place and air filtration in places where dust or vapour

are emitted excessively.

Storage: Store in an airtight container that is safe from humidity

Keep away from food and drinks, including pet food

Plastic is a suitable packaging material

EXPOSURE CONTROL / PERSONAL SAFETY

Technical Advice: Staff who have prolonged handling or usage of compounds of lead should have regular blood

tests

Control parameters: Average limiting values for permissible exposure



K & M (Wholesale Suppliers) Limited

Unit 24, Lion Park, Holbrook Industrial Estate New Street, Halfway, Sheffield, S20 3GH Tel: 01142474733 Fax: 01142475335 E-mail: order@km-wholesalesuppliers.co.uk

HEALTH & SAFETY DATA SHEETS FOR SOYER ENAMEL POWDERS

Lead (inorganic compounds, dust and vapour in Pb): 0.10mg/m³

Copper oxide : 1mg/m³

Personal protection equipment: Respiratory protection: Dust Mask P3

Protection of hands: PVC or latex gloves

Eye protection: Goggles

Skin and body protection: Appropriate protective clothes

Specific Hygiene Measures: Change all soiled clothes and shoes. Take care of personal hygiene wash

all exposed parts of the body and rinse out the mouth before food is

consumed.

PHYSICAL & CHEMICAL PROPERTIES

Appearance: Physical state: solid powder

Form: fine powder
Colour: green
Odour: odourless

Melting Temperature: 840 -900 C
PH Value: not determined
Flash Point: not applicable
Characteristics of explosion: not applicable
Density: not determined

Solubility: hardly soluble in water, slightly soluble in acids

STABILITY AND REACTIVITY

Stability: mineral product that resists high temperatures

Dangerous reactions: no dangerous reactions are known as long as the product is used in

the normal way

Dangerous substances that are

produced during decomposition: none to our knowledge if the product is used in the normal way

TOXILOGICAL INFORMATION

Lead and its compounds cause a disease known as lead poisoning and is listed as occupational illnesses number 1 Manganese Dioxide causes diseases that are listed as occupational illnesses number 39 Antimony and it's compounds cause diseases that are listed as occupational illnesses number 73

Ways of penetration into the body: respiratory tract: very fine dust

digestive tract: coarse dust

Acute poisoning: exceptional in the field of profession where it only occurs as a result of

accidents or misuse of the product

Chronic poisoning: Often of a industrial origin. The effects only appear after long exposure and

can be revealed by laboratory examinations

Local Effects: the negative effects of lead manifest themselves by:

disturbances of the blood (anaemia), renal problems (chronic renal insufficiency),

digestive problems (abdominal pain, constipation, sometimes accompanied by hypertension)

Acute oral toxicity Frits, chemicals (WGK 1) LD50 rat: > 2.000 mg/kg

ECOLOGICAL INFORMATION

Freedom of movement: no data

Persistence / sewerage: can be separated mechanically in a sewage plant

Biological accumulation: the compounds of lead are biologically accumulated in the living organism

Ecological toxicity: no experimental examinations. Neither spill the substance into the sewage system nor

into the environment. The disposal must be effected in waste disposal sites that are

specialised in dangerous products



K & M (Wholesale Suppliers) Limited

Unit 24, Lion Park, Holbrook Industrial Estate New Street, Halfway, Sheffield, S20 3GH Tel: 01142474733 Fax: 01142475335

E-mail: order@km-wholesalesuppliers.co.uk

HEALTH & SAFETY DATA SHEETS FOR SOYER ENAMEL POWDERS

Sewages: a limit of 1mg of lead per litre of sewage should not be exceeded

INDICATIONS FOR WASTE DISPOSAL

Waste disposal of residues: the product is insoluble. Eliminate without causing dust

If it can't be recycled, it has to be disposed in accordance to the local laws

and instructions in force with your local authority

Waste disposal of soiled packaging: Incinerate, never use the packaging for another product

INFORMATION ON REGULATIONS

Regulations of the European Union:

information leaflet on security established in accordance with the directive 91/155/CEE of 5th March 1991 labelling in accordance with the directive 67/548/CEE and its adaptations protection of workers in accordance with the directives 82/605/CEE of 28th July 1982 and 92/85/CEE of

protection of workers in accordance with the directives 82/605/CEE of 28th July 1982 and 92/85/CEE of 19th October 1992

SECURITY REGULATIONS

S22 Do not breathe dust.

S35 This material and its container must be disposed of in a safe way.

S36/37 Wear suitable protective clothing and gloves.

S53: Avoid prolonged exposure to the product. Read the safety data sheet before use

S45: In the case of an accident or an occurring disease, consult a doctor immediately with a copy of this

sheet

Special regulation on the labelling of products that are made for the public using this enamel powder:

Special Labelling: CONTAINS LEAD. DO NOT USE THIS PRODUCT ON OBJECTS THAT ARE

SUSCEPTABLE TO BEING CHEWED OR SUCKED BY CHILDREN

This leaflet is no guarantee for the quality and specific characteristic of this product. It completes the directions of use but it does not replace them. The information it contains is based on the state of our knowledge when this document was created and they are given in good faith. We would also like to draw the users attention to the risks that are run if a product is used for another purpose than for the one it is created for.