

GRAINFILLER

Page 1 Issued: 31/07/04 Revision No: 2

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product name:GRAINFILLERProduct code:GRTESynonyms:GRAINFILLERCompany name:Rustins LtdWaterloo RoadCricklewoodLondonNW2 7TXUnited KingdomTel: +44 (0)208 450 4666Fax: +44 (0)208 452 2008

Emergency tel: +44 (0)208 205 8709

2. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous ingredients: NAPTHA (PETROLEUM) HYDROTREATED HEAVY 1-10%

CAS: 64742-48-9

EINECS: 265-150-3

[Xn] R65; [Xi] R66; [-] R67

3. HAZARDS IDENTIFICATION

Main hazards: Flammable.

4. FIRST AID MEASURES (SYMPTOMS)

Skin contact: May cause irritation on prolonged or repeated contact.

Eye contact: Irritation with short term redness and stinging.

Ingestion: May cause nausea and diarrhoea.

Inhalation: May cause irritation of the respiratory tract.

4. FIRST AID MEASURES (ACTION)

Skin contact: Remove contaminated clothing. Wash skin thoroughly with soap and water or use a proprietry skin cleaner. Do NOT use solvents or thinners. If irritation persists seek medical attention.
Eye contact: Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart, and seek medical advice.
Ingestion: If accidentally swallowed, wash mouth out with water. Do not induce vomiting, keep at rest and obtain medical attention.
Inhalation: Remove to fresh air, keep the patient warm and at rest. If breathing has stopped, administer artificial respiration. Give nothing by mouth if unconscious, place in the recovery position and seek medical advice.

GRAINFILLER

5. FIRE-FIGHTING MEASURES		
Extinguishing media:	Carbon dioxide (CO2). Dry chemical powder. Alcohol resistant foam. Sand or earth. Do NOT	
	use water jet.	
Exposure hazards:	In a fire, hazardous decompostition products such as smoke and Carbon Monoxide may be	
	produced.	
Protection of fire-fighters:	Exposure to decomposition products may be a hazard to health. Appropriate self-contained	
	breathing apparatus may be required. Cool closed containers exposed to fire with water spray.	
	Do NOT allow run-off from fire fighting to enter drains or water courses.	
6. ACCIDENTAL RELEASE	MEASURES	
Personal precautions:	Ventilate the area. Eliminate all sources of ignition. No Smoking. Avoid inhaling vapour. Mark	
	out the contaminated area with signs and prevent access to unauthorised personnel. Do not	
	attempt to take action without suitable protective clothing (see section 8).	
Environmental precautions:	Do not discharge into drains or rivers. If the product enters drains or sewers, the local water	
	company should be contacted immediately. In the case of contamination of streams, rivers or	
	lakes contact the relevant environment agency.	
Clean-up procedures:	Contain and collect spillages with non-combustible absorbent materials, e.g. sand, earth,	
	vermiculite. Transfer into a suitable container for disposal in accordance with the waste	
	regulations (see section 13) Do not use equipment in clean-up procedure which may produce	
	sparks. Clean preferably with a detergent, avoid the use of solvents.	
7. HANDLING AND STORA	GE	
Handling requirements:	Ensure there is sufficient ventilation of the area. Avoid inhalation of vapour. Avoid skin and eye	
	contact. Smoking, eating and drinking should be prohibited in areas of storage and use.	
	Exclude sources of heat, sparks and open flame. Earth any equipment used in handling. Use	
	non-sparking tools.	
Storage conditions:	Store in cool, well ventilated area. Keep container tightly closed. Keep away from direct	
	sunlight. Exclude sources of heat, sparks and open flame. Take precautionary measures to	
	prevent product spills into drains, the ground or waters. Although the storage of this product is	
	not subject to specific statutory requirements, the principles contained in the HSE guidance	
	note Storage of Flammable Liquids in containers, should be observed.	
Suitable packaging:	Ideally, keep in original container. If transfer is necessary use glass or coated steel containers.	
8. EXPOSURE CONTROLS	/ PERSONAL PROTECTION	

Engineering measures: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and/or solvent vapours below the relevant occupational exposure limits, suitable respiratory protective equipment should be worn (see Respiratory protection below).

Page 2

[cont...]

GRAINFILLER

Page 3

Respiratory protection:	All personal protective equipment, including respiratory protective equipment, used to control
	exposure to hazardous substances must be selected to meet the requirements of the COSHH
	Regulations.
Hand protection:	Where repeated skin exposure may occur, wear Nitrile gloves.
Eye protection:	Safety goggles. Ensure eye bath is to hand.
Skin protection:	Overalls are normally suitable, PVC apron if risk of splashing.

9. PHYSICAL AND CHEMICAL PROPERTIES

State:	Paste
Colour:	A range of colours.
Odour:	Paraffinic.
Solubility in water:	Insoluble
Flash point°C:	42
Relative density:	1.97 @ 20 C

10. STABILITY AND REACTIVITY

Stability:	Stable under normal storage and handling conditions (see Section 7).
Conditions to avoid:	Avoid heat, flames and sparks. Direct sunlight.
Materials to avoid:	Oxidising agents. Strong acids.
Haz. decomp. products:	In a fire, hazardous decomposition products such as smoke and carbon monoxide may be
	produced.

11. TOXICOLOGICAL INFORMATION

Routes of exposure: This product has not been tested for toxicity. The toxicological properties given in this section are based on those of the solvents. The vapour is irritating to the eyes and splashes of liquid may cause discomfort and possible damage. Prolonged skin contact will have a defatting effect, which may lead to irritation and possibly dermatitis. Vapour irritates the eyes and the respiratory tract.

12. ECOLOGICAL INFORMATION

Mobility: Insoluble in water. Partially volatile. Partially absorbed into soil. The product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

Other adverse effects: There is no data available on the product itself.

13. DISPOSAL CONSIDERATIONS

NB: The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

GRAINFILLER

ADR / RID			
UN no:	1263 ADR Class:	3	
Labelling:	3 Hazard ID no:	30	
	FLAMMABLE LIQUID		
IMDG / IMO			
UN no:	1263 Class:	3	
Packing group:	III EmS:	3-05	
Marine pollutant:	YES Labelling:	3	
IATA / ICAO			
UN no:	1263 Class:	3	
Packing group:	III Packing instructions:	310	
Labelling:	3		
15. REGULATORY INFORM	ATION		
Hazard symbols:	No significant hazard.		
Risk phrases:	R10: Flammable.		
Safety phrases:	S7: Keep container tightly closed.		
	Do not breathe any sanded dust		
Note:	The regulatory information given above only indicates the principal regulation	ns specifically	
	applicable to the product described in the safety data sheet. The user's attenti	on is drawn to	
	the possible existence of additional provisions which complete these regulation	ns. Refer to all	
	applicable national, international and local regulations or provisions. Saftey D	ata Sheet	
	complies with UK regulatory references in accordance with CHIP 3.		
16. OTHER INFORMATION			
Risk phrases used in s.2:	R65: Harmful: may cause lung damage if swallowed.		
	R66: Repeated exposure may cause skin dryness or cracking.		
	R67: Vapours may cause drowsiness and dizziness.		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all	inclusive and shall	
	be used only as a guide. This company shall not be held liable for any damage	resulting from	
	handling or from contact with the above product. As the specific conditions of		
	product are outside the supplier's control, the user is responsible for ensuring	that the	
	requirements of relevant legislation are complied with.		[final pag

Page 4