



**SAFETY DATA SHEET**  
RED OXIDE METAL PRIMER

Page: 1

Compilation date: 23/08/2012

Revision No: 2

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** RED OXIDE METAL PRIMER

**Product code:** REDO

**Synonyms:** RED OXIDE METAL PRIMER

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**1.3. Details of the supplier of the safety data sheet**

**Company name:** Rustins Ltd

Waterloo Road

Cricklewood

London

NW2 7TX

United Kingdom

**Tel:** +44 (0)208 450 4666

**Fax:** +44 (0)208 452 2008

**Email:** rustins@rustins.co.uk

**1.4. Emergency telephone number**

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CHIP:** -: R10; -: R67; -: R66

**Most important adverse effects:** Flammable. Vapours may cause drowsiness and dizziness. Repeated exposure may cause skin dryness or cracking.

**2.2. Label elements**

**Label elements under CHIP:**

**Hazard symbols:** No significant hazard.

**Risk phrases:** R10: Flammable.

R67: Vapours may cause drowsiness and dizziness.

R66: Repeated exposure may cause skin dryness or cracking.

**Precautionary phrases:** Contains cobalt octoate. May produce an allergic reaction.

**2.3. Other hazards**

**PBT:** This substance is not identified as a PBT substance.

# SAFETY DATA SHEET

RED OXIDE METAL PRIMER

Page: 2

## Section 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients:

CALCIUM DRIER 4%

EINECS	CAS	CHIP Classification	CLP Classification	Percent
-	-	-: R10; N: R51/53; Xn: R65; -: R66	-	<1%

NAPHTHA (PETROLEUM) HYDROTREATED HEAVY

265-150-3	64742-48-9	Xn: R65; -: R66; -: R67	-	10-30%
-----------	------------	-------------------------	---	--------

BYK 204

-	107-98-2	-: R10; Xi: R37/38; N: R51/53	-	<1%
---	----------	-------------------------------	---	-----

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY

-	-	-: R10; Xn: R65; -: R66	-	1-10%
---	---	-------------------------	---	-------

## Section 4: First aid measures

### 4.1. Description of first aid measures

**Skin contact:** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a propriety skin cleaner. Do NOT use solvents or thinners. If irritation persists seek medical attention.

**Eye contact:** Contact lenses should be removed. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart, and seek medical advice.

**Ingestion:** If accidentally swallowed, wash mouth out with water. Do not induce vomiting, keep at rest and obtain medical attention.

**Inhalation:** Remove to fresh air, keep the patient warm and at rest. If breathing has stopped, administer artificial respiration. Give nothing by mouth if unconscious, place in the recovery position and seek medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

**Skin contact:** May cause irritation on prolonged or repeated contact.

**Eye contact:** Irritation with short term redness and stinging.

**Ingestion:** May cause nausea and diarrhoea.

**Inhalation:** May cause irritation of the respiratory tract.

### 4.3. Indication of any immediate medical attention and special treatment needed

## Section 5: Fire-fighting measures

### 5.1. Extinguishing media

**Extinguishing media:** Carbon dioxide (CO<sub>2</sub>). Dry chemical powder. Alcohol resistant foam. Sand or earth. Do NOT use water jet.

[cont...]

# SAFETY DATA SHEET

RED OXIDE METAL PRIMER

Page: 3

## 5.2. Special hazards arising from the substance or mixture

**Exposure hazards:** In a fire, hazardous decomposition products such as smoke and Carbon Monoxide may be produced.

## 5.3. Advice for fire-fighters

**Advice for fire-fighters:** Exposure to decomposition products may be a hazard to health. Appropriate self-contained breathing apparatus may be required. Cool closed containers exposed to fire with water spray. Do NOT allow run-off from fire fighting to enter drains or water courses.

## Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Ventilate the area. Eliminate all sources of ignition. No Smoking. Avoid inhaling vapour. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing (see section 8).

### 6.2. Environmental precautions

**Environmental precautions:** Do not discharge into drains or rivers. If the product enters drains or sewers, the local water company should be contacted immediately. In the case of contamination of streams, rivers or lakes contact the relevant environment agency.

### 6.3. Methods and material for containment and cleaning up

**Clean-up procedures:** Contain and collect spillages with non-combustible absorbent materials, e.g. sand, earth, vermiculite. Transfer into a suitable container for disposal in accordance with the waste regulations (see section 13) Do not use equipment in clean-up procedure which may produce sparks. Clean preferably with a detergent, avoid the use of solvents.

### 6.4. Reference to other sections

## Section 7: Handling and storage

### 7.1. Precautions for safe handling

**Handling requirements:** Ensure there is sufficient ventilation of the area. Avoid inhalation of vapour. Avoid skin and eye contact. Smoking, eating and drinking should be prohibited in areas of storage and use. Exclude sources of heat, sparks and open flame. Earth any equipment used in handling. Use non-sparking tools. The Manual Handling Operations Regulations may apply to the handling of containers of this product.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed. Keep away from direct sunlight. Exclude sources of heat, sparks and open flame. Although the storage of this product is not subject to specific statutory requirements, the principles contained in the HSE guidance note Storage of Flammable Liquids in containers, should be observed.

[cont...]

# SAFETY DATA SHEET

RED OXIDE METAL PRIMER

Page: 4

**Suitable packaging:** Ideally, keep in original container. If transfer is necessary use glass or coated steel containers.

## 7.3. Specific end use(s)

## Section 8: Exposure controls/personal protection

### 8.1. Control parameters

**Workplace exposure limits:** Not applicable.

### 8.2. Exposure controls

**Engineering measures:** Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and/or solvent vapours below the relevant occupational exposure limits, suitable respiratory protective equipment should be worn (see Respiratory protection below).

**Respiratory protection:** All personal protective equipment, including respiratory protective equipment, used to control exposure to hazardous substances must be selected to meet the requirements of the COSHH Regulations.

**Hand protection:** Where repeated skin exposure may occur, wear Nitrile gloves.

**Eye protection:** Safety goggles. Ensure eye bath is to hand.

**Skin protection:** Overalls are normally suitable, PVC apron if risk of splashing.

## Section 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**State:** Liquid

**Colour:** Red

**Odour:** Paraffinic.

**Solubility in water:** Not miscible

**Viscosity:** Viscous

**Flash point °C:** 38

**Relative density:** 1.312-1.344

### 9.2. Other information

**Other information:** Not applicable.

## Section 10: Stability and reactivity

### 10.1. Reactivity

### 10.2. Chemical stability

**Chemical stability:** Stable under normal storage and handling conditions (see Section 7).

### 10.3. Possibility of hazardous reactions

[cont...]

# SAFETY DATA SHEET

RED OXIDE METAL PRIMER

Page: 5

## 10.4. Conditions to avoid

**Conditions to avoid:** Avoid heat, flames and sparks. Direct sunlight.

## 10.5. Incompatible materials

**Materials to avoid:** Oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

**Haz. decomp. products:** In a fire, hazardous decomposition products such as smoke and carbon monoxide may be produced.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

**Toxicity values:** Not applicable.

### Symptoms / routes of exposure

**Skin contact:** May cause irritation on prolonged or repeated contact.

**Eye contact:** Irritation with short term redness and stinging.

**Ingestion:** May cause nausea and diarrhoea.

**Inhalation:** May cause irritation of the respiratory tract.

## Section 12: Ecological information

### 12.1. Toxicity

**Ecotoxicity values:** Not applicable.

### 12.2. Persistence and degradability

### 12.3. Bioaccumulative potential

### 12.4. Mobility in soil

**Mobility:** Insoluble in water. Partially volatile. Partially absorbed into soil. The product should not be allowed to enter drains or water courses or be deposited where it can affect ground or surface waters.

### 12.5. Results of PBT and vPvB assessment

**PBT identification:** This substance is not identified as a PBT substance.

### 12.6. Other adverse effects

**Other adverse effects:** There is no data available on the product itself.

## Section 13: Disposal considerations

### 13.1. Waste treatment methods

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

# SAFETY DATA SHEET

RED OXIDE METAL PRIMER

Page: 6

## Section 14: Transport information

### 14.1. UN number

UN number: UN1263

### 14.2. UN proper shipping name

### 14.3. Transport hazard class(es)

Transport class: 3

### 14.4. Packing group

### 14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

### 14.6. Special precautions for user

## Section 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.2. Chemical Safety Assessment

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

## Section 16: Other information

### Other information

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 453/2010.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and 3:** R10: Flammable.

R37/38: Irritating to respiratory system and skin.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R65: Harmful: may cause lung damage if swallowed.

R66: Repeated exposure may cause skin dryness or cracking.

R67: Vapours may cause drowsiness and dizziness.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. As the specific conditions of use of the product are outside the supplier's control, the user is responsible for ensuring that the requirements of relevant legislation are complied with.